

Our **design inspiration** is fed by the most abundant source in the world: water.



Tradition


From family-owned company to international fittings specialist.



1911 1984 1950

Quality

Hansa quality from the start - and it is still our number one priority.



1962 1979

Design

Uncompromising design with fine attention to detail



2003 2005

Innovation

Hansa brings fresh ideas to the world of bathroom fittings.




2009 2011

German Quality since 1911
Engineered by industrial visionaries

Sustainability is our ambition
Healthy living and ecological consciousness

Functional design made in Europe
Uncompromising and stylistic design



BATHROOM
& KITCHEN

HANSA
experience water



Third Edition - November 2015

Your Hansa dealer:



Jakarta

Jakarta Design Center, 2nd floor
Jl. Gatot subroto Kav. 53, Slipi
Ph: 021-5720528/38

Surabaya

Jl. Tidar No. 36
Ph: 031-5461153, 5463045,
5473690

Denpasar

Jl. Teuku Umar No. 222A,
Ph. 0361-255037/38/39,
243248

HANSA|EDITION

VISIONARY SOLITARY FITTINGS

" EXPERIENCE WATER " IN ITS PUREST FORM | TOP PERFORMANCE
THANKS TO ADVANCE TECHNOLOGY | NICE AND SENSIBLE



HANSAMURANO X

◀ wash basin **5605 2200**

900 x 450 x 60 mm
without overflow
incl. non-closable drain valve



HANSAMURANO

◀ Basin mixer **5609 2101 78**

One-hole, single-lever mixer
glass, clear
chrome

NATURE BROUGHT TO LIFE INDOORS: HANSAMURANO X

Controlled by an invisible electronic unit, **HANSAMURANO X** offers ontelligent conform, pure experience and the luxury of perfect formal simplicity. A strong personality, highly independent in character, yet unmistakably at home within the **HANSAEDITION** premium segment.

HANSA|LIVING

VERSATILE BATHROOM WORLDS

NEW DESIGN PERSPECTIVES | PERFECT APPEARANCE, PERFECT
FUNCTIONALITY | MAKING SAVINGS WHERE IT REALLY MAKES
SENSE



- The exciting character of the **HANSA** Living series meets unique style requirements.
- Innovative planning concepts in architecture-driven environments can be realised with the extensive, highly diverse range in conjunction with the concealed **HANSAMATRIX** installation system.
- For all series, the consumption figures are consistently 6 l/min, providing an important contribution to Environmental protection.

HANSADESIGNO



Washbasin
◀ **5103 2273**

**One-hole
Single-lever basin mixer**
pop-up waste
flexible pressure
hoses G3/8, chrome
projection: 166 mm



Shower
◀ **5186 0173**

Single-lever shower mixer
G1/2
chrome



Shower
◀ **5186 9173**

Single-lever shower mixer
G1/2, chrome
for direct connection with the
HANSAJET shower system
5167 0200 and
HANSALIVING 5267 0203

4111 9573



Bath/shower
◀ **5185 2173**

Single-lever bath mixer
projection: 184 mm
chrome



Shower
◀ **4110 9573**

**HANSAVAROX
Single-lever shower mixer**
function unit with trim kit
for **HANSADESIGNO**
chrome



Bath/shower
◀ **4111 9573**

**HANSAVAROX
Single-lever bath mixer**
function unit with trim kit
and diverter
for **HANSADESIGNO, chrome**



◀ Bathtub **5312 2073**

4-hole
Trim kit single-lever mixer
for all 4-hole installation sets
projection: 184 mm, chrome



◀ Wall bar **0456 0220**

HANSAPUREJET
wall bar set 900 mm 018 mm
HANSAPUREJET Duo
Silverjet shower hose 1750 mm
limescale protection technology

HANSALIGNA



◀ Washbasin **0609 2203**

**One-hole
Single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome



◀ Washbasin **0603 2203**

**One-hole
Single-lever basin mixer**
DN 15
for washbowls
connection with flexible hoses
G 3/8 without pop-up waste, chrome



◀ Washbasin **0645 2103**

**Two handle/three-hole
basin mixer**
DN 15
pop-up waste (metal)
chrome



◀ Washbasin **5530 2203**

**One-hole
Single-lever basin mixer**
DN 15
spout: swivel
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome




◀ Washbasin **4489 2103**

**HANSALIGNA trim kit for
wall-mounted
single-lever basin mixer**
DN 15, chrome
suitable for installation unit 4400 0000



◀ Shower **0667 0103**

Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting, chrome



◀ Bath/shower **0674 2103**

Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome



◀ Shower **4387 9513**

HANSAVAROX concealed
function unit with trim kit
for **HANSALIGNA**
single-lever shower mixer
without diverter, chrome



Bath/shower
◀ **4385 9503**

Single-lever bath mixer
HANSAVAROX
function unit with trim kit
for **HANSALIGNA, chrome**



◀ Bathtub **0644 2083**

**4-hole, trim kit
single-lever mixer**
for all 4-hole installation units
chrome



◀ Bath/shower **0646 2083**

Single-lever bath mixer
DN 15 G1/2
ground-standing, chrome
suitable for installation unit 5328 0100



◀ Wall bar **0456 0220**

HANSAPUREJET
wall bar set 900 mm, 018 mm
HANSAPUREJET Duo
Silverjet shower hose 1750 mm
limescale protection technology

HANSAVANTIS



◀ Washbasin **5240 2277**
**One-hole
Single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with G 3/8, chrome




◀ Washbasin **5256 2277**
**HANSAVANTIS STYLE XL
One-hole, single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with G 3/8, chrome



◀ Washbasin **5247 2277**
**One-hole
Single-lever basin mixer**
DN 15
with raised socket
pop-up waste and draw-rod (lateral)
connection with G 3/8, chrome



◀ Shower **5245 0177**
Single-lever shower mixer
DN 15 (G1/2)
for wall-mounting
chrome



◀ Bath/shower **5244 2177**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome



◀ Shower **5261 0177**
Single-lever shower mixer
trim kit
DN 15 G1/2, chrome
for installation unit 5000 0100



◀ Bath/shower **5260 0177**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Wall bar set **4478 0130**
600 mm
with HANSABASICJET
3 hand shower
shower hose 1750 mm
chrome

HANSAPINTO



◀ Washbasin **4504 2203**
**One-hole
Single-lever basin mixer**
DN 15
pop-up waste
(metal) connection with flexible hoses
G 3/8, chrome



◀ Shower **4512 0103**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome



◀ Bath/shower **4511 2103**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome



◀ Shower **4517 7103**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Bath/shower **4516 7103**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Wall bar set **4478 0130**
600 mm
with HANSABASICJET
3 hand shower
shower hose 1750 mm
chrome


HANSAPRIMO



◀ Washbasin **4940 2203**
**One-hole
Single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome



◀ Shower **4945 0103**
Single-lever shower mixer
DN 15 (G1/2)
for wall-mounting, chrome



◀ Bath/shower **4944 2103**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting, chrome



◀ Shower **4998 7003**
Single-lever shower mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Bath/shower **4997 7003**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Wall bar set **4478 0130**
600 mm
with HANSABASICJET
3-spray hand shower
shower hose 1750 mm, chrome

HANSAPOLO



◀ Washbasin **5140 2273**
**DN-hole
Single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome



◀ Shower **5145 0173**
Single-lever shower mixer
DN 15 (G1/2)
for wall-mounting, chrome



◀ Bath/shower **5144 2173**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting, chrome



◀ Shower **5061 7173**
Single-lever shower mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Bath/shower **5060 7173**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100




◀ Wall bar set **4478 0130**
600 mm
with HANSABASICJET
3-spray hand shower
shower hose 1750 mm, chrome


HANSAPICO



◀ Washbasin **4604 2203**
**One-hole
Single-lever basin mixer**
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome



◀ Shower **4612 0103**
**Single-lever
shower mixer**
DN 15 (G1/2)
for wall-mounting
chrome



◀ Bath/shower **4611 2103**
Single-lever bath mixer
DN 15 (1/2)
for wall-mounting
chrome



◀ Shower **4617 7103**
Single-lever shower mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100



◀ Bath/shower **4616 7103**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100




◀ Wall bar set **4478 0130**
600 mm
with HANSABASICJET
3 hand shower
shower hose 1750 mm
chrome

CONCEALED UNIT

THE PRINCIPLE OF CLARITY: HANSAMATRIX

- THE CONCEALED INSTALLATION SYSTEM FOR FREEDOM OF DESIGN, CONSISTENT SHAPES AND EFFICIENT INSTALLATION.
- HANSAMATRIX BATHROOM PLANNING AND EXECUTION: JUST AS STRUCTURED AND SAFE AS THE ENTIRE SYSTEM.



HANSAMATRIX



4400 0000 ▲

Concealed installation unit, single-lever mixer

DN 15 (G1/2) outlet to the front

HANSAVAROX



4000 0000 ▲

Base unit, compact solution Concealed unit

DN 15 (G1/2) without shut-off valves

HANSAVARIO



5000 0100 ▲

Concealed installation unit, single-lever mixer

DN 15 (G1/2) outlet top and/or bottom G1/2 min. installation depth: 70 mm



5328 0100 ▲

Installation unit, for bath mixer

DN 15 (G1/2) ground-standing rinsing and pressure plug protective cap

EXPOSED THERMOSTAT

HANSACOMPACT



5304 0200 ▲

4-hole universal rim-mounted installation unit with flexible connecting hose G3/4 not to be used for wall-mounting

HANSACUBE



Bath 5835 2101 ▲

Thermostatic shower mixer

DN 15 (G1/2) chrome



Shower 5833 0101 ▲

Thermostatic shower mixer

DN 15 (G1/2) chrome

HANSAUNITA



Shower 5813 0101 ▲

Thermostatic shower mixer

DN 15 (G1/2) with eccentric connections, chrome

INBOW THERMOSTAT

HANSACUBE



◀ Thermostatic Mixer 08070101

HANSATHERM

DN 20 (G3/4) concealed installation unit and trim kit suitable for low pressure, with diverter

Service stops with ceramic discs outlet top G3/4 bottom outlet plugged can be used with separate stop valve non return valve

strainers trim kit consisting of:
- metal handles for temperature
- volume control sleeve
- wall rosette, brass

SHOWER SYSTEM

HANSAUNITA



Shower system 5814 9103 ▲

Thermostatic shower mixer

DN 15 (G1/2) with shower system directly connected chrome

HANSAPUREJET



Wall bar set 0456 0220 ▲

HANSAPUREJET Duo

900 mm Silverjet® shower hose 1750 mm chrome optic

HANSABASICJET



Wall bar set 4478 0130 ▲

600 mm with HANSABASICJET 3 hand shower shower hose, 1750 mm chrome

HANSACLEAR



Wall bar corner 0453 0200 ▲

mounting set chrome

HAND SHOWER

HANSAVIVA



Hand shower 4433 0100 ▲

HANSAVIVA

hand shower, 3-jet Ø 100 mm chrome

HANSABASICJET



Hand shower 4463 0100 ▲

HANSABASICJET 3

DN 15, Ø 92 mm hand shower: plastic hose connection G 1/2 limescale protection technology

HANSAMEDIJET FLEX



Hand shower low on aerosol 4428 0170 ▲

HANSAMEDIJET FLEX

DN 15, Ø 100 mm hand shower: plastic ergonomically shaped turning handle limescale protection technology

HANSAPUREJET FLEX



Hand shower 0432 0200 ▲

HANSAPUREJET Duo

hand shower (2 function) scroll adjustment anti-limescale technology chrome

OVERHEAD SHOWER

HANSAVIVA



◀ Overhead shower 4427 0300

Shower head DN 15 solid brass Ø 300 mm



◀ Overhead shower 0418 0340

Shower head square 250 x 250 mm projection : 400 mm



◀ Overhead shower 0419 0340

Shower head square DN 15 250 x 250 mm



◀ Overhead shower 4426 0100

Shower head solid brass Ø 202 mm with shower arm 350 mm projection : 350 mm



◀ Overhead shower 4426 0300

Shower head solid brass Ø 300 mm with shower arm 350 mm projection : 350 mm

SHOWER HOSE

HANSASILVERJET



Shower hose
◀ **5412 0400**

Silverjet® shower hose

connection G 1/2 x G 1/2
chrome optic
hose cone with integrated
twish guard
length 1250 mm



Shower hose
◀ **5412 0500**

Silverjet® shower hose

connection G 1/2 x G 1/2
chrome optic
hose cone with integrated
twish guard
length 1600 mm



Shower hose
◀ **0412 0500**

length 1600 mm
G1/2 x G1/2 connection
chrome

HANSAVIVA



◀ Shower hose
4412 0300

chrome optic
length 1750 mm
connection G1/2 x G1/2
hose cone with integrated
twish guard

SHOWER SPRAY



◀ Hygiene shower set
0197 0200

DN 15
shower hose 1200 mm
wall-mounted shower bracket

MISCELLANEOUS

HANSACLEAR



◀ Wall connection
elbow **0442 0200**

DN 15
chrome



◀ Wall connection
elbow **4425 0000**

DN 15
hose connection G1/2



◀ Cleaner
5991 3577

HANSASHINE

fittings cleaning product
75 ml tube

BRACKET



Wall mounted
shower bracket **4444 0100**

also compatible with HANSAMATRIX
brass, chrome plated
shower bracket, fixed
rosette, twist-resistant
fastening set



Wall mounted
shower bracket **0446 0100**

DN 15, connection G 1/2
2-parts for plugging
or HANSA hand shower
G 1/2 download hose connection
fastening set



Wall mounted
shower bracket **0443 0100**

for HANSA hand showers
plastic
shower bracket, fixed
fastening set



Wall mounted
shower bracket **4424 0100**

HANSAVIVA
chrome

HANSA|KITCHEN

"EXPERIENCE WATER" IS THE PHILOSOPHY
WE STAND FOR.

HANSAPROTEC : SAFEGUARDS THE QUALITY OF YOUR
DRINKING WATER

All the new HANSA kitchen fittings help to reduce
Water consumption to an eco-friendly 9 l/min.



HANSALIGNA



Ligna kitchen **5528 2203**

**One-hole,
single-lever basin mixer**
DN 15
connection with flexible
hoses G 3/8
chrome

HANSASTECLA



Kitchen mixer **5711 2273**

single-lever kitchen mixer
DN 15, G 3/8
connection with flexible hoses
projection : 170 mm
spout: cast
swivel 150° range,
removable buffer, chrome

HANSARONDA



Kitchen mixer **5491 2273**

Single-lever kitchen mixer
DN 15, G 3/8, chrome
extractable hand spray
connection with flexible hoses

HANSATWIST



Kitchen mixer **0914 2285**

Single-lever kitchen mixer
with loop lever
DN 15 G 3/8, chrome
connection with flexible hoses
projection : 199 mm
spout : cast, 150° swivel range

HANSAPINTO



Kitchen mixer **4508 2273**

Single-lever kitchen mixer

DN 15, G 3/8
without nickel coating
rapid installation system
connection with flexible hoses
swivel 150° range

HANSAPRIMO



Kitchen mixer **4920 2203**

Single-lever kitchen mixer

DN 15, G 3/8
without nickel coating
rapid installation system
connection with flexible hoses
swivel 150° range



Kitchen mixer **4948 2203**

Single-lever kitchen mixer

DN 15, G 3/8
without nickel coating
rapid installation system
connection with flexible hoses
swivel 150° range

HANSALOFT

-  **Washbasin 5754 2203**
One-hole
Single-lever basin mixer
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome
-  **Washbasin 5756 2103**
One-hole
Single-lever basin mixer
for flat countertop washbasins
without pop-up waste connection
using copper pipis chrome
-  **Washbasin 5755 2203**
One-hole
Single-lever basin mixer
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome
-  **Washbasin 5757 2103**
HANSALOFT trim kit for
wall-mounted
single-lever basin mixer
DN 15, chrome
suitable for installation unit 4400.0000
-  **Shower 5771 0173**
Single-lever shower mixer
G 1/2
for wall-mounting
chrome
-  **Shower 5773 9003**
HANSAVAROX function unit
with trim kit
For HANSALOFT
single-lever shower mixer
rosette without screws
function unit without diverter
-  **Bath/shower 5760 9003**
HANSAVAROX function unit
with trim kit
For HANSALOFT
single-lever bath mixer
rosette without screws
function unit with diverter
-  **Shower 5762 9003**
HANSAVAROX
function unit with trim kit
for HANSALOFT single-lever
shower mixer
chrome
-  **Bath/shower 5770 2103**
Single-lever bath mixer
G1/2
for wall-mounting
chrome
-  **Bathub 5775 2083**
4-hole
Trim kit single-lever mixer
for all 4-hole installation units
chrome, angled rosette
-  **Wall bar 5776 2073**
Single-lever bath mixer
DN 15 G 1/2
for floor-mounting
chrome
-  **Wall bar 0456 0220**
HANSAPUREJET
wall bar set 900 mm, 018 mm
HANSAPUREJET Duo
Silverjet shower hose 1750 mm
limescale protection technology

HANSASTELA

-  **Washbasin 5709 2201**
One-hole,
Single-lever basin mixer
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome
-  **Washbasin 5710 2201**
One-hole,
Single-lever basin mixer
DN 15, chrome
for washbowls
connection with flexible hoses
G 3/8, without pop-up waste
-  **Washbasin 5720 2203**
Two handle/ three-hole
basin mixer
DN 15
pop-up waste (metal)
connection with flexible hoses
G 3/8, chrome
-  **Washbasin 5715 2201**
One-hole,
Single-lever basin mixer
DN 15
pop-up waste (metal)
chrome
-  **Shower 5767 0101**
Single-lever shower mixer
DN 15 (G1/2), chrome
-  **Bath/shower 5774 2101**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome
-  **Shower 4785 9041**
Single-lever shower mixer
HANSAVAROX
function unit with trim kit
for HANSASTELA
chrome
-  **Bath/shower 4784 9041**
Single-lever bath mixer
HANSAVAROX
function unit with trim kit
for HANSASTELA
chrome
-  **Bathub 5730 2011**
4-hole
trim kit single-lever mixer
for all 4-hole installation units
chrome
-  **Wall bar 0456 0220**
HANSAPUREJET
wall bar set 900 mm, 018 mm
HANSAPUREJET Duo
Silverjet shower hose 1750 mm
limescale protection technology

HANSA|HOME

CLASSIC BATHROOM SOLUTIONS







ECOLOGICAL COMPATIBILITY IN MIND | WATER SAVING
TECHNOLOGIES | HIGH-LEVEL HANSA SAFETY | WATER EFFICIENCY
LABEL (WELL) FOR HANSAPOLO & HANSAPRIMO



HANSAFORM

-  **Basin mixer 4909 2203**
One-hole
Single-lever basin mixer
DN 15 (G 3/8) chrome
pop-up waste (metal)
connection with flexible hoses
-  **Shower 4967 0103**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome
-  **Bath/shower 4974 2103**
Single-lever bath mixer
DN 15 (G1/2)
for wall-mounting
chrome
-  **Shower 4995 7003**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100
-  **Bath/shower 4994 7003**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
for installation unit 5000 0100
-  **Wall bar set 4478 0130**
600 mm
with HANSABASICJET
3 hand shower
shower hose 1750 mm
chrome

HANSATWIST

-  **Washbasin 0909 2285**
One-hole
Single-lever basin mixer
DN 15 (G 3/8), chrome
loop lever, pop-up waste (metal)
connection with flexible hoses
-  **Shower 0967 0185**
Single-lever bath mixer
DN 15 (G1/2), chrome
for wall-mounting
loop lever
-  **Bath/shower 0974 2185**
Single-lever bath mixer
DN 15 (G1/2), chrome
for wall-mounting
loop lever
-  **Shower 4975 7005**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
loop lever
for installation unit 5000 0100
-  **Bath/shower 4976 7005**
Single-lever bath mixer
trim kit
DN 15 (G1/2), chrome
loop lever
for installation unit 5000 0100
-  **Wall bar set 4478 0130**
600 mm
with HANSABASICJET
3 hand shower
shower hose 1750 mm
chrome

